



reventon


Price list




valid from 1.08.2023






ENG




Product	Heating capacity range	Product code	Net price (EUR)	Barcode	
INDUSTRIAL SOLUTIONS					
AIR WATER HEATERS MADE IN EPP HOUSING, HC SERIES 230V AC					
AIR WATER HEATERS HC					
HC20-3S	1,55 kW – 28,4 kW*	WHHC20-3S-1759	309	5902860110330	
HC30-3S	1,80 kW – 34,9 kW*	WHHC30-3S-1760	339	5902860110347	
HC35-3S	2,14 kW – 40,1 kW*	WHHC35-3S-1761	389	5902860110354	
HC45-3S	3,21 kW – 55,6 kW*	WHHC45-3S-1762	419	5902860110361	
HC50-3S	5,00 kW – 65,8 kW*	WHHC50-3S-2006	459	5902860112426	
HC70-3S	5,00 kW – 80,1 kW*	WHHC70-3S-1764	519	5902860110385	
HC80-3S	6,96 kW – 91,5 kW*	WHHC80-3S-1956	539	5902860111917	
SET HC MINI (AIR WATER HEATER + ROTATING MOUNTING BRACKET)					
Set HC20-3S	1,55 kW – 28,4 kW*	WHHC20-3S-RH-1947	326	5902860111825	
Set HC30-3S	1,80 kW – 34,9 kW*	WHHC30-3S-RH-1948	356	5902860111832	
Set HC35-3S	2,14 kW – 40,1 kW*	WHHC35-3S-RH-1949	406	5902860111849	
Set HC45-3S	3,21 kW – 55,6 kW*	WHHC45-3S-RH-1950	436	5902860111856	
Set HC50-3S	5,00 kW – 65,8 kW*	WHHC50-3S-RH-1951	480	5902860111863	
Set HC70-3S	5,00 kW – 80,1 kW*	WHHC70-3S-RH-1952	540	5902860111870	
Set HC80-3S	6,96 kW – 91,5 kW*	WHHC80-3S-RH-1957	560	5902860111924	
SET HC STANDARD (AIR WATER HEATER + ROTATING MOUNTING BRACKET + 3-STAGE SPEED CONTROLLER WITH ROOM THERMOSTAT HC3S)					
Set HC3S HC20-3S	1,55 kW – 28,4 kW*	WHHC20-3S-HC3S-1805	349	5902860111351	
Set HC3S HC30-3S	1,80 kW – 34,9 kW*	WHHC30-3S-HC3S-1936	379	5902860111719	
Set HC3S HC35-3S	2,14 kW – 40,1 kW*	WHHC35-3S-HC3S-1937	429	5902860111726	
Set HC3S HC45-3S	3,21 kW – 55,6 kW*	WHHC45-3S-HC3S-1938	459	5902860111733	
Set HC3S HC50-3S	5,00 kW – 65,8 kW*	WHHC50-3S-HC3S-1939	503	5902860111740	
Set HC3S HC70-3S	5,00 kW – 80,1 kW*	WHHC70-3S-HC3S-1940	563	5902860111757	
Set HC3S HC80-3S	6,96 kW – 91,5 kW*	WHHC80-3S-HC3S-1958	583	5902860111931	
SET HC PRESTIGE (AIR WATER HEATER + ROTATING MOUNTING BRACKET + PROGRAMMABLE CONTROLLER HMI)					
Set HMI BMS HC20-3S	1,55 kW – 28,4 kW*	WHHC20-3S-HMI-1941	408	5902860111764	
Set HMI BMS HC30-3S	1,80 kW – 34,9 kW*	WHHC30-3S-HMI-1942	438	5902860111771	
Set HMI BMS HC35-3S	2,14 kW – 40,1 kW*	WHHC35-3S-HMI-1943	488	5902860111788	
Set HMI BMS HC45-3S	3,21 kW – 55,6 kW*	WHHC45-3S-HMI-1944	518	5902860111795	
Set HMI BMS HC50-3S	5,00 kW – 65,8 kW*	WHHC50-3S-HMI-1945	562	5902860111801	
Set HMI BMS HC70-3S	5,00 kW – 80,1 kW*	WHHC70-3S-HMI-1946	622	5902860111818	
Set HMI BMS HC80-3S	6,96 kW – 91,5 kW*	WHHC80-3S-HMI-1959	642	5902860111948	
AIR WATER HEATERS HC WITH DIFFUSER 360°					
HC20-3S + diffuser 360°	1,46 kW – 27,0 kW*	WHHC20D360-3S-1767	410	5902860110415	
HC30-3S + diffuser 360°	1,72 kW – 33,1 kW*	WHHC30D360-3S-1768	440	5902860110422	
HC35-3S + diffuser 360°	2,03 kW – 37,9 kW*	WHHC35D360-3S-1769	490	5902860110439	
HC45-3S + diffuser 360°	2,97 kW – 51,8 kW*	WHHC45D360-3S-1770	520	5902860110446	
HC50-3S + diffuser 360°	4,63 kW – 62,5 kW*	WHHC50D360-3S-1771	560	5902860110453	
HC70-3S + diffuser 360°	4,62 kW – 75,3 kW*	WHHC70D360-3S-1772	620	5902860110460	
HC80-3S + diffuser 360°	6,45 kW – 86,3 kW*	WHHC80D360-3S-1960	640	5902860111955	


Product	Heating capacity range	Product code	Net price (EUR)	Barcode	
AIR WATER HEATERS HC WITH CONFUSOR					
HC20-3S + confusor	1,46 kW – 27,0 kW*	WHHC20WC-3S-1773	420	5902860110477	
HC30-3S + confusor	1,72 kW – 33,1 kW*	WHHC30WC-3S-1774	450	5902860110484	
HC35-3S + confusor	2,03 kW – 37,9 kW*	WHHC35WC-3S-1775	500	5902860110491	
HC45-3S + confusor	2,97 kW – 51,8 kW*	WHHC45WC-3S-1776	530	5902860110507	
HC50-3S + confusor	4,63 kW – 62,5 kW*	WHHC50WC-3S-1777	570	5902860110514	
HC70-3S + confusor	4,62 kW – 75,3 kW*	WHHC70WC-3S-1778	630	5902860110521	
HC80-3S + confusor	6,45 kW – 86,3 kW*	WHHC80WC-3S-1961	650	5902860111962	
	* min. heating capacity: water temp. 40/30°C, 20°C room temp., 1st stage // max. heating capacity: water temp. 120/90°C, 0°C room temp., 3rd stage				




CONTROLLERS FOR HC SERIES 230V AC					
3-step controller with room thermostat HC3S		RTHC3S-1779	25	5902860110538	
Programmable controller HMI BMS		PCHMI-1797	85	5902860111276	
Programmable controller HMI WiFi	NEW	PCHMI-WIFI-2301	95	5902860113805	
Fan speed controller HC 1,2A		FSHC-1520	64	5905669815116	
Fan speed controller HC 3,0A		FS3HC-2101	89	5902860113713	
Fan speed controller HC 5,0A		FS5HC-1607	179	5905669815499	
Fan speed controller HC 7,0A		FS7HC-1608	199	5905669815505	
Fan speed controller HC 14,0A		FS14HC-1610	379	5905669815529	
Manual room thermostat HC		RTHC-1523	16	5905669815574	
Two-wayvalve with actuator HC 3/4"		VAHC-1524	50	5905669815154	
Three-wayvalve with actuator HC 3/4"		VAHC3-1998	95	5902860112334	
Regulating and balancing valve HC 3/4"		VARB-2030	ask for price	5902860112921	
Relay module RM-16A		RM16A-2343	30	5902860114956	




MOUNTING ELEMENTS FOR HC SERIES 230V AC					
Rotating mounting bracket HC20-45		RHHC2045-1518	20	5905669815093	
Rotating mounting bracket HC50-80, Farmer		RHHC5080-2015	25	5902860112525	
Z-type suspension bracket		SB-2029	2	5902860112914	



OPTIONAL EQUIPMENT FOR HC SERIES 230V AC					
Flexible hoses HC 3/4"(set 2 pcs.)		FHHC-1525	45	5905669815161	
Drip tray HC20-45		DTFWHHC2045	75	5905669815246	
Drip tray HC50-80		DTFWHHC5080	80	5902860112532	

Product	Heating capacity range	Product code	Net price (EUR)	Barcode	
AIR WATER HEATERS FARMER 230V AC					
Farmer HCF IP54-3S 44,3 kW* (heating capacity: 90/70°C water temp., 0°C room temp., 3rd stage)	4,80 kW – 58,5 kW (min. heating capacity: water temp. 40/30°C, 20°C room temp., 1st stage// max. heating capacity: 120/90°C water temp., 0°C room temp., 3rd stage)	WHHCF47-3S-1765	589	5902860110392	
Farmer HCF IP66 50,2 kW* (heating capacity: 90/70°C water temp., 0°C room temp.)	7,01 kW – 66,2 kW (min. heating capacity: 40/30°C, 20°C room temp. // max. heating capacity: 120/90°C, 0°C room temp.)	WHHCF53-1527	799	5905669815185	
Farmer OpenAir IP66 54,3 kW (heating capacity: 90/70°C water temp., 0°C room temp.)	7,5 kW – 71,6 kW (min. heating capacity: 40/30°C, 20°C room temp. // max. heating capacity: 120/90°C, 0°C room temp.)	WHHCFO-2042	1699	5902860113041	
* possibility to order diffuser 360° or confusor to the above models					


CONTROLLERS FOR FARMER SERIES 230V AC					
3-step controller with room thermostat HC3S * compatible with FARMER HCF IP54		RTHC3S-1779	25	5902860110538	
Programmable controller HMI WiFi * compatible with FARMER HCF IP54	NEW	PCHMI-WIFI-2301	95	5902860113805	
Programmable controller HMI BMS * compatible with FARMER HCF IP54		PCHMI-1797	85	5902860111276	
Programmable controller HMI SINGLE BMS * compatible with FARMER HCF IP66 & Farmer OpenAir		HMI-SIN-2021	89	5902860112600	
Fan speed controller HC 1,2A		FSHC-1520	64	5905669815116	
Fan speed controller HC 3,0A		FS3HC-2101	89	5902860113713	
Fan speed controller HC 5,0A		FS5HC-1607	179	5905669815499	
Fan speed controller HC 7,0A		FS7HC-1608	199	5905669815505	
Fan speed controller HC 14,0A		FS14HC-1610	379	5905669815529	
Manual room thermostat IP54	NEW	MT54-2341	69	5902860114932	
Manual room thermostat HC		RTHC-1523	16	5905669815574	
Two-way valve with actuator HC 3/4"		VAHC-1524	50	5905669815154	
Three-way valve with actuator HC 3/4"		VAHC3-1998	95	5902860112334	
Regulating and balancing valve HC 3/4"		VARB-2030	ask for price	5902860112921	
Relay module RM-16A		RM16A-2343	30	5903669087311	


MOUNTING ELEMENTS FOR FARMER SERIES 230V AC					
Rotating mounting bracket HC50-80, Farmer		RHHC5080-2015	25	5902860112525	
Z-type suspension bracket		SB-2029	2	5902860112914	
Rotating mounting bracket Farmer OpenAir		RHFO-2044	59	5902860113065	


OPTIONAL EQUIPMENT FOR FARMER SERIES 230V AC					
Flexible hoses HC 3/4" (set 2 pcs.)		FHHC-1525	45	5905669815161	
Drip tray HC50-80		DTFWHHC5080	80	5902860112532	
Horizontal diffuser Farmer OpenAir		HDFO-2045	55	5902860113072	


MIXING CHAMBERS MC SERIES					
MC for HC20-45*		MCHC2045-1782	599	5902860110569	
MC for HC50-80*		MCHC5080-2016	599	5902860112549	


* Filter EU3 included in each set












Product	Heating capacity range	Product code	Net price (EUR)	Barcode	
CONTROLLERS FOR MC SERIES					
Control set KHC*		AMC-1798	899	5902860111283	
Setter HMI MC BMS		MC-HMI-1999	180	5902860112464	
Differential pressure switch DFS		DFS-1799	49	5902860111290	
Control valve with 3-point actuator CV		CV-1800	ask for price	5902860111306	
Ethernet card EC		EC-1801	89	5902860111313	
<p>* the control set includes: control cabinet, damper actuator 0-10V with return spring, 4 x PT-1000 temperature sensor, three-way valve with actuator, antifreeze thermostat with capillary</p>					


MOUNTINGELEMENTS FOR MC SERIES					
Mounting bracket MB		MB-1803	95	5902860111337	
Z-type suspension bracket		SB-2029	2	5902860112914	


OPTIONAL EQUIPMENT FOR MC SERIES					
Wall intake WI		WI-1802	109	5902860111320	
Roof intake RI*		RI-2007	ask for price	5902860112433	
Duct MC 0,5 m**		TCMC-2009	60	5902860112457	
Filter EU3 FEU		FEU-1804	40	5902860111344	
<p>* complete set equipped with roof curb and roof base; available type A or type B for flat and sloped roofs ** custom length of the duct available on request</p>					


AIR WATER HEATERS IN EPP CASING HC3P SERIES 400VAC					
HC3P20*	2,36 kW – 28,4 kW**	WHHC3P20-1514	349	5905669815055	
HC3P30*	2,84 kW – 34,9 kW**	WHHC3P30-1626	359	5905669815475	
HC3P35*	3,51 kW – 40,1 kW**	WHHC3P35-1515	399	5905669815062	
HC3P45*	6,02 kW – 55,6 kW**	WHHC3P45-1627	429	5905669815482	
HC3P50*	6,23 kW – 58,5 kW**	WHHC3P50-1516	519	5905669815079	
HC3P70*	8,78 kW – 80,1 kW**	WHHC3P70-1517	599	5905669815086	
<p>* possibility to order diffuser 360° or confusor to the above models</p>		<p>** min. heating capacity: 40/30°C, 20°C room temp. //max. heating capacity: 120/90°C, 0°C room temp.</p>			

MOUNTINGELEMENTS FOR HC3P SERIES 400VAC					
Rotating mounting bracket HC20-45		RHHC2045-1518	20	5905669815093	
Rotating mounting bracket HC50-80, Farmer		RHHC5080-2015	25	5902860112525	
Z-type suspension bracket		SB-2029	2	5902860112914	


Product	Heating capacity range	Product code	Net price (EUR)	Barcode	
OPTIONAL EQUIPMENT FOR HC3P SERIES 400V AC					
Flexible hoses HC 3/4" (set 2 pcs.)		FHHC-1525	45	5905669815161	
Drip tray HC20-45		DTFWHHC2045	75	5905669815246	
Drip tray HC50-80		DTFWHHC5080	80	5902860112532	
AIR WATER HEATERS HC SERIES IN EPP CASING 230V EC					
HC20-EC*	1,91 kW – 32,7 kW**	WHHC20-EC-1985	379	5902860112204	
HC30-EC*	2,26 kW – 40,3 kW**	WHHC30-3C-1986	399	5902860112211	
HC35-EC*	2,80 kW – 47,6 kW**	WHHC35-EC-1987	419	5902860112228	
HC45-EC*	4,54 kW – 66,7 kW**	WHHC45-EC-1988	459	5902860112235	
HC50-EC*	4,36 kW – 64,1 kW**	WHHC50-EC-1989	499	5902860112242	
HC70-EC*	5,93 kW – 88,9 kW**	WHHC70-EC-1990	549	5902860112259	
* possibility to order diffuser 360° or confusor to the above models	** max. heating capacity 120/90°C, 0°C room temp., 100% air expense				
CONTROLLERS FOR HC SERIES 230V EC					
Potentiometer EC		PEC-1996	55	5902860112310	
Programmable controller HMI EC BMS		HMI EC-1997	89	5902860112327	
Manual room thermostat HC		RTHC-1523	16	5905669815574	
Two-way valve with actuator HC 3/4"		VAHC-1524	50	5905669815154	
Three-way valve with actuator HC 3/4"		VAHC3-1998	95	5905669815154	
Regulating and balancing valve HC 3/4"		VARB-2030	ask for price	5902860112334	
Relay module RM-16A		RM16A-2343	30	5902860114956	
MOUNTING ELEMENTS FOR HC 230V EC					
Rotating mounting bracket HC20-45		RHHC2045-1518	20	5905669815093	
Rotating mounting bracket HC50-80, Farmer		RHHC5080-2015	25	5902860112525	
Z-type suspension bracket		SB-2029	2	5902860112914	
OPTIONAL EQUIPMENT FOR HC SERIES 230V EC					
Flexible hoses HC 3/4" (set 2 pcs.)		FHHC-1525	45	5905669815161	
Drip tray HC20-45		DTFWHHC2045	75	5905669815246	
Drip tray HC50-80		DTFWHHC5080	80	5902860112532	

Product	Heating capacity range	Product code	Net price (EUR)	Barcode	
AIR WATER HEATERS IN STEEL CASING S-3S SERIES 230V AC					
S1-3S	1,57 kW – 19,5 kW*	WHS1-3S-1789	349	5902860110644	
S2-3S	2,10 kW – 30,8 kW*	WHS2-3S-1790	469	5902860110651	
S3-3S	2,92 kW – 48,8 kW*	WHS3-3S-1791	539	5902860110668	
S4-3S	4,17 kW – 66,2 kW*	WHS4-3S-1787	619	5902860110620	
	* min. heating capacity:40/30°C, 20°C water temp., 1st stage// max. heating capacity: 120/90°Cwater temp., 0°C room temp., 3rd stage				









CONTROLLERS FOR S-3S SERIES 230V AC					
3-step controller with room thermostat HC3S		RTHC3S-1779	25	5902860110538	
Programmable controller HMI WiFi	NEW	PCHMI-WIFI-2301	95	5902860113805	
Programmable controller HMI BMS		PCHMI-1797	85	5902860111276	
Fan speed controller HC 1,2A		FSHC-1520	64	5905669815116	
Fan speed controller HC 3,0A		FS3HC-2101	89	5902860113713	
Fan speed controller HC 5,0A		FS5HC-1607	179	5905669815499	
Fan speed controller HC 7,0A		FS7HC-1608	199	5905669815505	
Fan speed controller HC 14,0A		FS14HC-1610	379	5905669815529	
Manual room thermostat HC		RTHC-1523	16	5905669815574	
Two-wayvalve with actuator HC 3/4"		VAHC-1524	50	5905669815154	
Three-wayvalve with actuator HC 3/4"		VAHC3-1998	95	5902860112334	
Relay module RM-16A		RM16A-2343	30	5902860114956	
Regulating and balancing valve HC 3/4"		VARB-2030	ask for price	5902860112921	


MOUNTING ELEMENTS FOR S-3S SERIES 230V AC					
Rotating mounting bracket S1		RHS1-1755	25	5902860110293	
Rotating mounting bracket S2, S3		RHS2S3-1756	35	5902860110309	
Rotating mounting bracket S4		RHS4-1757	39	5902860110316	
Fixed holders for S series		HS1234F-1754	30	5902860110286	
Z-type suspension bracket		SB-2029	2	5902860112914	




OPTIONAL EQUIPMENT FOR S-3S SERIES 230V AC					
Flexible hoses HC 3/4" (set 2 pcs.)		FHHC-1525	45	5905669815161	

DESTRATIFICATION FANS TORNADO SERIES 230V AC						
Destratification fan TORNADO XS1	1/5 PRICE DROP	2200 m ³ /h	DT-XS1-1965	185	5902860112006	
Destratification fan TORNADO XS2	1/5 PRICE DROP	3600 m ³ /h	DT-XS2-1966	215	5902860112013	
Destratification fan TORNADO XS3	1/5 PRICE DROP	4500 m ³ /h	DT-XS3-1967	259	5902860112020	
Destratification fan TORNADO XS4*	1/5 PRICE DROP	6400 m ³ /h	DT-XS4-1968	349	5902860112037	
Destratification fan TORNADO XS5	1/5 PRICE DROP	6750 m ³ /h	DT-XS5-1969	439	5902860112044	
Destratification fan TORNADO XS6	1/5 PRICE DROP	10200 m ³ /h	DT-XS6-1970	519	5902860112051	


* not compatible with speed controller


Product	Airflow	Product code	Net price (EUR)	Barcode	
CONTROLLERS FOR TORNADO SERIES 230V AC					
Programmable controller HMI SINGLE BMS		HMI-SIN-2021	89	5902860112600	
Fan speed controller HC 1,2A		FSHC-1520	64	5905669815116	
Fan speed controller HC 3,0A		FS3HC-2101	89	5902860113713	
Fan speed controller HC 5,0A		FS5HC-1607	179	5905669815499	
Fan speed controller HC 7,0A		FS7HC-1608	199	5905669815505	
Fan speed controller HC 14,0A		FS14HC-1610	379	5905669815529	
Thyristor speed controller TRO-150W		FS-TRO150-2054	30	5902860113164	
Thyristor speed controller TRO-600W		FS-TRO600-2055	35	5902860113171	
Manual room thermostat HC		RTHC-1523	16	5905669815574	
Relay module RM-16A		RM16A-2343	30	5902860114956	


DESTRATIFICATION FANS HC-3S SERIES 230V AC					
Destratification fan HC-3S	4600 m ³ /h	DHC-3S-1766	389	5902860110408	

CONTROLLERS FOR DESTRATIFICATION FANS HC-3S SERIES 230V AC					
3-step controller with room thermostat HC3S		RTHC3S-1779	25	5902860110538	
Programmable controller HMI BMS		PCHMI-1797	85	5902860111276	
Relay module RM-16A		RM16A-2343	30	5902860114956	

MOUNTING ELEMENTS FOR DESTRATIFICATION FANS HC-3S SERIES 230V AC					
Rotating mounting bracket for destratification fan HC-3S		RHF-1611	25	5905669815369	
Z-type suspension bracket		SB-2029	2	5902860112914	

ELECTRIC HEATED AIR CURTAINS AERIS E-1P SERIES 230V AC					
AERIS 100E-1P*		AC100E1P	379	5905669815307	
AERIS 150E-1P*		AC150E1P	479	5905669815321	
AERIS 200E-1P*		AC200E1P	699	5902860110194	
* mounting panel, remote control and door switch included in each set					

ELECTRIC HEATED AIR CURTAINS AERIS EN-1P SERIES 230V AC					
AERIS 100EN-1P*		AC100EN1P	399	5902860112587	
* mounting panel, remote control and door switch included in each set					




















ELECTRIC HEATED AIR CURTAINS AERIS EN-3P SERIES 400V AC					
AERIS 90EN-3P*		AC90EN3P	339	5902860110699	
AERIS 100EN-3P**		AC100EN3P	399	5902860112518	
AERIS 120EN-3P*		AC120EN3P	419	5902860110705	
AERIS 150EN-3P*		AC150EN3P	549	5902860110712	
AERIS 200EN-3P**		AC200EN3P-1971	849	5902860112068	


* mounting panel and door switch included in each set

** mounting panel, remote control and door switch included in each set




Product	Product code	Net price (EUR)	Barcode	
CONTROLLERS FOR AERIS EN-3P SERIES 400V AC				
3-step controller with room thermostat HC3S*	RTHC3S-1779	25	5902860110538	
Controller with thermostat HMI CURTAIN BMS*	HMI-2003	89	5902860112389	
* suitable for 90EN-3P and 120EN-3P				
COLD AIR CURTAINS AERIS C-1P SERIES 230V AC				
AERIS 100C-1P*	AC100C1P	339	5902860111979	
AERIS 150C-1P*	AC150C1P	419	5902860111986	
AERIS 200C-1P*	AC200C1P	579	5902860111993	
* mounting panel, remote control and door switch included in each set				
WATER HEATED AIR CURTAINS AERIS WN-1P SERIES 230V AC				
AERIS 100WN-1P*	AC100WN1P	349	5902860110200	
AERIS 150WN-1P*	AC150WN1P	549	5902860110217	
AERIS 200WN-1P*	AC200WN1P	699	5902860110224	
* mounting panel and doorswitch included in each set				
CONTROLLERS FOR AERIS WN-1P SERIES 230V AC				
3-step controller with room thermostat HC3S	RTHC3S-1779	25	5902860110538	
Controller with thermostat HMI CURTAIN BMS	HMI-2003	89	5902860112389	
Two-way valve with actuator HC 3/4"	VAHC-1524	50	5905669815154	
Three-way valve with actuator HC 3/4"	VAHC3-1998	95	5902860112334	
Regulating and balancing valve HC 3/4"	VARB-2030	ask for price	5902860112921	
OPTIONAL EQUIPEMNT FOR AERIS WN-1P SERIES 230V AC				
Flexible hoses HC 3/4" (set 2 pcs.)	FHHC-1525	45	5905669815161	
INDUSTRIAL AIR CURTAINS HUMMER SERIES 230V AC				
HUMMER 150C-1P 230V *	ACH150C-1999	829	5902860112341	
HUMMER 200C-1P 230V *	ACH200C-2000	1079	5902860112358	
HUMMER 150W-1P 230V *	ACH150W-2001	1099	5902860112365	
HUMMER 200W-1P 230V *	ACH200W-2002	1399	5902860112372	
HUMMER 150W-1P 2R 230V *	ACH150W2R-2304	1499	5902860114475	
HUMMER 200W-1P 2R 230V *	ACH200W2R-2305	1899	5902860114482	
HUMMER 150C-EC 230V *		999		
HUMMER 200C-EC 230V *		1349		
HUMMER 150W-EC 230V *		1299		
HUMMER 200W-EC 230V *		1699		
HUMMER 150W-EC 2R 230V *		1499		
HUMMER 200W-EC 2R 230V *		1899		

* mounting elements in each set












Product	Airflow	Product code	Net price (EUR)	Barcode	
CONTROLLERS FOR HUMMER SERIES 230V AC					
Controller with thermostat HMI CURTAIN BMS		HMI-2003	89	5902860112389	    
Door switch HUMMER		DSH-2004	50	5902860112396	
Two-way valve with actuator HC 3/4"		VAHC-1524	50	5905669815154	
Three-way valve with actuator HC 3/4"		VAHC3-1998	95	5902860112334	
Regulating and balancing valve HC 3/4"		VARB-2030	ask for price	5902860112921	
OPTIONAL EQUIPEMNT FOR HUMMER SERIES 230V AC					
Flexible hoses HC 3/4"(set 2 pcs.)		FHHC-1525	45	5905669815161	
ROOF FANS WITH HORIZONTAL DISCHARGE STORM SERIES					
STORM 190 AC 230V	520 m ³ /h	STORM190AC-2017	199	5902860112556	
STORM 250 AC 230V	1370 m ³ /h	STORM250AC-1981	239	5902860112167	
STORM 315 AC 230V	1900 m ³ /h	STORM315AC-1982	359	5902860112174	
STORM 400 AC 230V	3100 m ³ /h	STORM400AC-2018	399	5902860112563	
STORM 450 AC 400V	 6700 m ³ /h	STORM450AC-2333	899	5902860114765	
STORM 225 EC 230V	950 m ³ /h	STORM225EC-1983	319	5902860112181	
STORM 315 EC 230V	2250 m ³ /h	STORM315EC-1984	379	5902860112198	
STORM 355 EC 230V	3600 m ³ /h	STORM355EC-2019	549	5902860112570	
STORM 450 EC 400V	 7300 m ³ /h	STORM450EC-2334	1299	5902860114772	
STORM 500 EC 400V	 13700 m ³ /h	STORM500EC-2335	2099	5902860114789	
CONTROLLERS FOR STORM AC SERIES					
Programmable controller HMI SINGLE BMS		HMI-SIN-2021	89	5902860112600	   
Thyristor speed controller TRO-150W		FS-TRO150-2054	30	5902860113164	
Thyristor speed controller TRO-600W		FS-TRO600-2055	35	5902860113171	
Fan speed controller HC 1,2A		FSHC-1520	64	5905669815116	
Fan speed controller HC 3,0A		FS3HC-2101	89	5902860113713	
Fan speed controller HC 5,0A		FS5HC-1607	179	5905669815499	
Fan speed controller HC 7,0A		FS7HC-1608	199	5905669815505	
Fan speed controller HC 14,0A		FS14HC-1610	379	5905669815529	
CONTROLLERS FOR STORM EC SERIES					
Potentiometer EC		PEC-1996	55	5902860112310	 
Programmable controller HMI EC		HMI EC-1997	89	5902860112327	
OPTIONAL EQUIPMENT FOR STORM SERIES					
Roof base STORM S*		RBS-2345	109	5902860114970	
Roof base insulated 50mm STORM S*		RBIS-2345	159	5902860114987	
Roof base insulated 50 mm with damping mantle STORM S*		RBISDM-2346	269	5902860114994	
Roof base STORM M**		RBM-2347	119	5902860115007	
Roof base insulated 50mm STORM M**		RBIM-2348	169	5902860115014	
Roof base insulated 50 mm with damping mantle STORM M**		RBIMDM-2349	279	5902860115021	











Product	Airflow	Product code	Net price (EUR)	Barcode	
OPTIONAL EQUIPMENT FOR STORM SERIES					
Roof base STORM L***		RBL-2350	169	5902860115038	
Roof base insulated 50mm STORM L***		RBLI-2351	209	5902860115045	
Roof base insulated 50 mm with damping mantle STORM L***		RBILDM-2352	399	5902860115052	
Upper / lower adapter plate		AP-2003	45	5902860112501	
* Dedicated to STORM 190 AC, 225 EC, 250 AC models ** Dedicated to STORM 315 AC, 315 EC, 355 EC, 400 AC models *** Dedicated to STORM 450 AC, 450 EC, 500 EC models					

ROOF FANS WITH VERTICAL DISCHARGE BLAST SERIES 230V AC					
BLAST 400 AC	2300 m ³ /h	BLAST-400AC-2082	749	5902860113447	
BLAST 450 AC	3700 m ³ /h	BLAST-450AC-2083	899	5902860113454	
BLAST 500 AC	4400 m ³ /h	BLAST-500AC-2084	999	5902860113461	












CONTROLLERS FOR BLAST SERIES 230V AC					
Programmable controller HMI SINGLE BMS		HMI-SIN-2021	89	5902860112600	
Thyristor speed controller TRO-150W		FS-TRO150-2054	30	5902860113164	
Thyristor speed controller TRO-600W		FS-TRO600-2055	35	5902860113171	
Fan speed controller HC 1,2A		FSHC-1520	64	5905669815116	
Fan speed controller HC 3,0A		FS3HC-2101	89	5902860113713	
Fan speed controller HC 5,0A		FS5HC-1607	179	5905669815499	
Fan speed controller HC 7,0A		FS7HC-1608	199	5905669815505	
Fan speed controller HC 14,0A		FS14HC-1610	379	5905669815529	

OPTIONAL EQUIPMENT FOR BLAST SERIES AC 230V					
Roof base BLAST 400 AC		RB-BLAST400AC-2090	139	5902860113522	
Roof base insulated 50 mm BLAST 400 AC		RBI-BLAST400AC-2091	199	5902860113539	
Roof base insulated 50 mm with dumping mantle BLAST 400 AC		RBI-BLAST400AC-2092	339	5902860113546	
Roof base BLAST 450 AC		RB-BLAST450AC-2093	159	5902860113553	
Roof base insulated 50 mm BLAST 450 AC		RBI-BLAST450AC-2094	219	5902860113560	
Roof base insulated 50 mm with dumping mantle BLAST 450 AC		RBI-BLAST450AC-2095	369	5902860113577	
Roof base BLAST 500 AC		RB-BLAST500AC-2096	179	5902860113584	
Roof base insulated 50 mm BLAST 500 AC		RBI-BLAST500AC-2097	239	5902860113591	
Roof base insulated 50 mm with dumping mantle BLAST 500 AC		RBI-BLAST500AC-2098	399	5902860113607	


AXIAL BLOWING FANS FR SERIES WITH PROTECTIVE GRID						
FR-250-BG 230V		1450 m ³ /h	IAFR250BG-1701	70	5905669815703	
FR-300-BG 230V		1750 m ³ /h	IAFR300BG-1702	80	5905669815710	
FR-350-BG 230V		2350 m ³ /h	IAFR350BG-1703	105	5905669815727	
FR-400-BG 230V		3800 m ³ /h	IAFR400BG-1704	120	5905669815734	
FR-450-BG 230V		5400 m ³ /h	IAFR450BG-1705	145	5905669815741	
FR-500-BG 230V		6050 m ³ /h	IAFR500BG-1706	180	5905669815758	
FR-550-BG 230V		7500 m ³ /h	IAFR550BG-1707	210	5905669815765	
FR-630-BG 230V		11400 m ³ /h	IAFR630BG-1708	300	5905669815772	
FR-710-BG 400V		Δ 15000 m ³ /h Y 13000 m ³ /h	IAFR710BG-1709	660	5905669815789	
FR-800-BG 400V		Δ 20000 m ³ /h Y 17500 m ³ /h	IAFR800BG-1710	720	5905669815796	

Product		Airflow	Product code	Net price (EUR)	Barcode
AXIAL SUCKING FANS FR SERIES WITH PROTECTIVE GRID					
FR-250-SG 230V		1450 m ³ /h	IAFR250SG-1711	70	5905669815802
FR-300-SG 230V		1850 m ³ /h	IAFR300SG-1712	80	5905669815819
FR-350-SG 230V		2450 m ³ /h	IAFR350SG-1713	105	5905669815826
FR-400-SG 230V		3950 m ³ /h	IAFR400SG-1714	120	5905669815833
FR-450-SG 230V		5000 m ³ /h	IAFR450SG-1715	145	5905669815840
FR-500-SG 230V		6050 m ³ /h	IAFR500SG-1716	180	5905669815857
FR-550-SG 230V		7500 m ³ /h	IAFR550SG-1717	210	5905669815864
FR-630-SG 230V		11400 m ³ /h	IAFR630SG-1718	300	5905669815871
FR-710-SG 400V		Δ 15000 m ³ /h Y 13000 m ³ /h	IAFR710SG-1719	660	5905669815888
FR-800-SG 400V		Δ 20000 m ³ /h Y 17500 m ³ /h	IAFR800SG-1720	720	5905669815895



AXIAL FANS FR SERIES IN SQUARE FRAME					
FR-200-BS 230V		780 m ³ /h	IAFR200BS-1721	90	5905669815901
FR-250-BS 230V		1450 m ³ /h	IAFR250BS-1722	105	5905669815918
FR-300-BS 230V		1550 m ³ /h	IAFR300BS-1723	120	5905669815925
FR-350-BS 230V		2450 m ³ /h	IAFR350BS-1724	150	5905669815932
FR-400-BS 230V		3950 m ³ /h	IAFR400BS-1725	175	5905669815949
FR-450-BS 230V		5000 m ³ /h	IAFR450BS-1726	205	5905669815956
FR-500-BS 230V		6050 m ³ /h	IAFR500BS-1727	290	5905669815963
FR-550-BS 230V		7500 m ³ /h	IAFR550BS-1728	350	5905669815970
FR-630-BS 230V		11400 m ³ /h	IAFR630BS-1729	465	5905669815987
FR-710-BS 400V		Δ 15000 m ³ /h Y 13000 m ³ /h	IAFR710BS-1730	770	5905669815994
FR-800-BS 400V		Δ 20000 m ³ /h Y 17500 m ³ /h	IAFR800BS-1731	840	5902860110002








AXIAL FANS FR SERIES IN A ROUND HOUSING 230V AC					
FR-200-BC		780 m ³ /h	IAFR200BC-1732	100	5902860110019
FR-250-BC		1220 m ³ /h	IAFR250BC-1733	120	5902860110026
FR-300-BC		1550 m ³ /h	IAFR300BC-1734	140	5902860110033
FR-350-BC		2450 m ³ /h	IAFR350BC-1735	165	5902860110040
FR-400-BC		3950 m ³ /h	IAFR400BC-1736	205	5902860110057
FR-450-BC		5000 m ³ /h	IAFR450BC-1737	215	5902860110064
FR-500-BC*		7200 m ³ /h	IAFR500BC-1738	300	5902860110071
FR-550-BC		7500 m ³ /h	IAFR550BC-1739	360	5902860110088
FR-630-BC		11400 m ³ /h	IAFR630BC-1740	470	5902860110095

* not compatible with speed controller



DUCT FANS FR SERIES 230V AC					
FR-100-DF		230 m ³ /h	IDFR100DF-1741	80	5902860110101
FR-125-DF		350 m ³ /h	IDFR125DF-1742	83	5902860110118
FR-150-DF		610 m ³ /h	IDFR150DF-1743	110	5902860110125
FR-160-DF		770 m ³ /h	IDFR160DF-1744	115	5902860110132
FR-200-DF		845 m ³ /h	IDFR200DF-1745	125	5902860110149
FR-250-DF		950 m ³ /h	IDFR250DF-1746	135	5902860110156
FR-315-DF		1520 m ³ /h	IDFR315DF-1747	170	5902860110163



Product	Airflow	Product code	Net price (EUR)	Barcode	
CONTROLLERS FOR FR SERIES 230V AC					
Programmable controller HMI SINGLE BMS		HMI-SIN-2021	89	5902860112600	
Thyristor speed controller TRO-150W		FS-TRO150-2054	30	5902860113164	
Thyristor speed controller TRO-600W		FS-TRO600-2055	35	5902860113171	
Fan speed controller HC 1,2A		FSHC-1520	64	5905669815116	
Fan speed controller HC 3,0A		FS3HC-2101	89	5902860113713	
Fan speed controller HC 5,0A		FS5HC-1607	179	5905669815499	
Fan speed controller HC 7,0A		FS7HC-1608	199	5905669815505	
Fan speed controller HC 14,0A		FS14HC-1610	379	5905669815529	

OPTIONAL EQUIPMENT FOR SERIES FR					
Gravity shutter GS 300x300mm		GS-300-2075	40	5902860113379	
Gravity shutter GS 350x350mm		GS-350-2076	45	5902860113386	
Gravity shutter GS 400x400mm		GS-400-2077	50	5902860113393	
Gravity shutter GS 460x460mm		GS-460-2078	55	5902860113409	
Gravity shutter GS 550x550mm		GS-550-2079	70	5902860113416	
Gravity shutter GS 650x650mm		GS-650-2080	95	5902860113423	
Gravity shutter GS 800x800mm		GS-800-2081	110	5902860113430	

HOME APPLIANCES

ENERGY RECOVERY UNITS INSPIRO BASIC SERIES

INSPIRO BASIC 200*	200 m ³ /h	INSPIRO-BASIC200-2022	899	5902860112617	
INSPIRO BASIC 300*	300 m ³ /h	INSPIRO-BASIC300-2023	949	5902860112624	
INSPIRO BASIC 400*	400 m ³ /h	INSPIRO-BASIC400-2024	1199	5902860112631	
INSPIRO BASIC 600*	600 m ³ /h	INSPIRO-BASIC600-2025	1399	5902860112648	
INSPIRO BASIC 800*	800 m ³ /h	INSPIRO-BASIC800-2026	1999	5902860112655	
INSPIRO BASIC 1000*	1000 m ³ /h	INSPIRO-BASIC1000-2028	2299	5902860112884	
INSPIRO BASIC 1300*	1300 m ³ /h	INSPIRO-BASIC1300-2027	2549	5902860112891	
INSPIRO BASIC 200 POLY*	200 m ³ /h	INSPIRO-BASIC200POLY-2306	999	5902860114499	
INSPIRO BASIC 300 POLY*	300 m ³ /h	INSPIRO-BASIC300POLY-2307	1049	5902860114505	
INSPIRO BASIC 400 POLY*	400 m ³ /h	INSPIRO-BASIC400POLY-2308	1449	5902860114512	
INSPIRO BASIC 600 POLY*	600 m ³ /h	INSPIRO-BASIC600POLY-2309	1649	5902860114529	
INSPIRO BASIC 800 POLY*	800 m ³ /h	INSPIRO-BASIC800POLY-2310	2399	5902860114536	
INSPIRO BASIC 1000 POLY*	1000 m ³ /h	INSPIRO-BASIC1000POLY-2311	2799	5902860114543	
INSPIRO BASIC 1300 POLY*	1300 m ³ /h	INSPIRO-BASIC1300POLY-2312	3149	5902860114550	

*BASIC control panel in set

FILTERS FOR INSPIRO BASIC SERIES					
Filter EU3 INSPIRO 150/ BASIC 200		FEU3-150-B200-2057	15	5902860113195	
Filter EU3 INSPIRO 250/ BASIC 300		FEU3-250-B300-2058	17	5902860113201	
Filter EU3 INSPIRO 350/ BASIC 400		FEU3-350-B400-2059	20	5902860113218	
Filter EU3 INSPIRO 500/ BASIC 600		FEU3-500-B600-2060	23	5902860113225	
Filter EU3 INSPIRO 650 / BASIC 800		FEU3-650-B800-2061	29	5902860113232	
Filter EU3 INSPIRO 800/ BASIC 1000		FEU3-800-2062	32	5902860113249	
Filter EU3 INSPIRO BASIC 1300		FEU3-B1300-2100	35	5902860113614	

Product		Product code	Net price (EUR)	Barcode	
ELECTRIC HEATERS FOR INSPIRO BASIC SERIES					
	Power				
NEW 1-step electric duct heater with controlling 150/ 1.2	1,2 kW	EDH-150-12-2324	199	5902860114673	
NEW 1-step electric duct heater with controlling 200/ 2.4	2,4 kW	EDH-200-24-2325	269	5902860114680	
NEW 1-step electric duct heater with controlling 250/ 2.4	2,4 kW	EDH-250-24-2326	299	5902860114697	
NEW 1-step electric duct heater with controlling 250/ 3.6	3,6 kW	EDH2-250-36-2327	329	5902860114709	
ENERGY RECOVERY UNITS INSPIRO SERIES					
	Airflow				
INSPIRO 150*	150 m³/h	INSPIRO150-1972	1359	5902860112075	
INSPIRO 250*	250 m³/h	INSPIRO250-1973	1439	5902860112082	
INSPIRO 350*	350 m³/h	INSPIRO350-1974	1729	5902860112099	
INSPIRO 500*	500 m³/h	INSPIRO500-1975	2149	5902860112105	
INSPIRO 650*	650 m³/h	INSPIRO650-1976	2599	5902860112112	
INSPIRO 800*	800 m³/h	INSPIRO800-1977	3099	5902860112129	
INSPIRO 1000*	1000 m³/h	INSPIRO1000-2026	3699	5902860112860	
INSPIRO 1300*	1300 m³/h	INSPIRO1300-2027	3999	5902860112877	
INSPIRO 150 POLY*	150 m³/h	INSPIRO-150POLY-2313	1459	5902860114567	
INSPIRO 250 POLY*	250 m³/h	INSPIRO-250POLY-2314	1549	5902860114574	
INSPIRO 350 POLY*	350 m³/h	INSPIRO-350POLY-2315	1899	5902860114581	
INSPIRO 500 POLY*	500 m³/h	INSPIRO-500POLY-2316	2399	5902860114598	
INSPIRO 650 POLY*	650 m³/h	INSPIRO-650POLY-2317	2999	5902860114604	
INSPIRO 800 POLY*	800 m³/h	INSPIRO-800POLY-2318	3599	5902860114611	
INSPIRO 1000 POLY*	1000 m³/h	INSPIRO-1000POLY-2319	4299	5902860114628	
INSPIRO 1300 POLY*	1300 m³/h	INSPIRO-1300POLY-2320	4599	5902860114635	
*intelligent STANDARD control panel in set					
CONTROLLERS FOR INSPIRO SERIES					
Intelligent control panel PREMIUM		INSPIRO-CON-1978	149	5902860112136	
Sensor CO2		INSPIRO-CO2-1979	259	5902860112143	
Humidity sensor		INSPIRO-HUM-1980	95	5902860112150	
WiFi module INSPIRO PRICE DROP		MF-2043	99	5902860113058	
ELECTRIC HEATERS FOR INSPIRO SERIES					
	Power				
1-step electric duct heater 150/ 1.2	1,2 kW	EPH-INSPIRO150-350-2038	139	5902860113003	
1-step electric duct heater 200/ 2.4	2,4 kW	EPH-INSPIRO500-2039	159	5902860113010	
1-step electric duct heater 250/ 2.4	2,4 kW	EPH-INSPIRO650/800-2040	199	5902860113027	
1-step electric duct heater 250/ 3.6	3,6 kW	EPH-INSPIRO1000/1300-2041	229	5902860113034	
NEW 1-step electric duct heater with controlling 150/ 1.2	1,2 kW	EDH-150-12-2324	199	5902860114673	
NEW 1-step electric duct heater with controlling 200/ 2.4	2,4 kW	EDH-200-24-2325	269	5902860114680	
NEW 1-step electric duct heater with controlling 250/ 2.4	2,4 kW	EDH-250-24-2326	299	5902860114697	
NEW 1-step electric duct heater with controlling 250/ 3.6	3,6 kW	EDH2-250-36-2327	329	5902860114709	

Product		Product code	Net price (EUR)	Barcode	
FILTERS FOR INSPIRO SERIES					
Filter EU3 INSPIRO 650 / BASIC 800		FEU3-650-B800-2061	29	5902860113232	
Filter EU3 INSPIRO 800/ BASIC 1000		FEU3-800-2062	32	5902860113249	
Filter EU3 INSPIRO 1000/ INSPIRO 1300		FEU3-1000-1300-2101	35	5902860113621	
Filter EU7 INSPIRO 150		FEU7-150-2063	32	5902860113256	
Filter EU7 INSPIRO 250		FEU7-250-2064	35	5902860113263	
Filter EU7 INSPIRO 350		FEU7-350-2065	59	5902860113270	
Filter EU7 INSPIRO 500		FEU7-500-2066	65	5902860113287	
Filter EU7 INSPIRO 650		FEU7-650-2067	85	5902860113294	
Filter EU7 INSPIRO 800		FEU7-800-2068	99	5902860113300	
Filter EU7 INSPIRO 1000/ INSPIRO 1300		FEU7-1000-1300-2102	109	5902860113638	
Filter EU9 INSPIRO 150		FEU9-150-2069	45	5902860113317	
Filter EU9 INSPIRO 250		FEU9-250-2070	59	5902860113324	
Filter EU9 INSPIRO 350		FEU9-350-2071	85	5902860113331	
Filter EU9 INSPIRO 500		FEU9-500-2072	95	5902860113348	
Filter EU9 INSPIRO 650		FEU9-650-2073	119	5902860113355	
Filter EU9 INSPIRO 800		FEU9-800-2074	149	5902860113362	
Filter EU9 INSPIRO 1000/ INSPIRO 1300		FEU9-1000-1300-2103	169	5902860113645	
HEAT RECOVERY UNITS VERTIC SERIES					
	Airflow				
VERTIC 250	250 m ³ /h	VERTIC-250-2047	2199	5902860113096	
VERTIC 350	 350 m ³ /h	VERTIC-350-2048	2599	5902860113102	
VERTIC 500	 500 m ³ /h	VERTIC-500-2049	2999	5902860113119	
ENERGY RECOVERY UNITS VERTIC SERIES					
	Airflow				
VERTIC 250 ENTHALPY	250 m ³ /h	VERTIC-250E-2321	2599	5902860114642	
VERTIC 350 ENTHALPY	350 m ³ /h	VERTIC-350E-2322	2999	5902860114659	
VERTIC 500 ENTHALPY	500 m ³ /h	VERTIC-500E-2323	3599	5902860114666	
CONTROLLERS FOR VERTIC SERIES					
Intelligent control panel VERTIC		VERTIC-IP-2050	115	5902860113126	
Sensor CO ₂ VERTIC		VERTIC-CO ₂ -2053	170	5902860113157	
WiFi module VERTIC		MF-VERTIC-2328	199	5902860114710	
ELECTRIC HEATERS FOR VERTIC SERIES					
	Power				
1-step electric duct heater with controlling 150/ 1.2	1,2 kW	EDH-150-12-2324	199	5902860114673	
1-step electric duct heater with controlling 200/ 2.4	2,4 kW	EDH-200-24-2325	269	5902860114680	
1-step electric duct heater with controlling 250/ 2.4	2,4 kW	EDH-250-24-2326	299	5902860114697	
1-step electric duct heater with controlling 250/ 3.6	3,6 kW	EDH2-250-36-2327	329	5902860114703	

Product		Product code	Net price (EUR)	Barcode			
FILTERS FOR VERTIC / VERTIC ENTHALPY SERIES							
Filter EU7 VERTIC 250/350		VERTIC-F7-250-350-2051	39	5902860113133			
Filter EU7 VERTIC 500		VERTIC-F7-500-2052	49	5902860113140			
Filter EU4 VERTIC 250/350	NEW	VERTIC-EU4-250-350-2329	18	5902860114727			
Filter EU4 VERTIC 500	NEW	VERTIC-EU4-500-2330	20	5902860114734			
Filter EU4 VERTIC 250/350 BYPASS	NEW	VERTIC-EU4-250-350BP-2331	22	5902860114741			
Filter EU4 VERTIC 500 BYPASS	NEW	VERTIC-EU4-500BP-2332	22	5902860114758			
WALL ENERGY RECOVERY UNITS WALLER SERIES							
WALLER 64	9% PRICE DROP	Airflow 64 m ³ /h		WALLER-64-2046	329	5902860113089	
* remote control included in each set							
WALL MOUNTED SPLIT AIR CONDITIONERS VESPER SERIES							
		Cooling capacity range					
VESPER 3.4*	NEW	1,00 kW – 3,77 kW		AC-VESPER34-2336	599	5902860114871	
VESPER 5.1*	NEW	1,25 kW – 5,91 kW		AC-VESPER51-2337	899	5902860114888	
*indoor unit, outdoor unit and remote control included in each set							
ACCESORIES FOR WALL MOUNTED AIR CONDITIONERS VESPER SERIES							
Mounting bracket VESPER	NEW			MB-VESPER34-2338	39	5902860114895	
Cooper pipe 1/4" (1m)	NEW			CP14-2339	ask for price	5902860114901	
Cooper pipe 3/8" (1m)	NEW			CP38-2340	ask for price	5902860114925	